


Certificate of Analysis

KLOW 80 mg

Report To:
Syngyn

Compound: KLOW
Quantity: 80 mg
Laboratory ID: V260721-23 012
Lot Number: SG-260715-KLOW
Date Reported: 7/30/2026



Analysis	Method	Result
Identity	HPLC-UV/VIS	Pass - Matches Ref. Standard
Chromatographic Purity	HPLC-UV/VIS	99.31% ± 0.18%
Quantity: GHK-Cu	HPLC-UV/VIS	52.25 mg
Quantity: BPC-157	HPLC-UV/VIS	10.50 mg
Quantity: TB-500	HPLC-UV/VIS	10.47 mg
Quantity: KPV	HPLC-UV/VIS	10.83 mg



[Signature]

Report By: Dustin Newman, Laboratory Director on 7/30/2026

[Signature]

Approved By: Tori Johnson, Operations Manager on 7/30/2026

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.