




Vanguard Laboratory  
2635 Parkmont Ln  
Olympia, Wa 98502  
360-967-7010

# Certificate of Analysis

PT-141 10 mg

Report To:  
**Syngyn**

Compound: PT-141  
Quantity: 10 mg  
Laboratory ID: V260721-23 001  
Lot Number: SG-260715-PT141  
Date Reported: 7/30/2026



| Analysis               | Method      | Result                       |
|------------------------|-------------|------------------------------|
| Identity               | HPLC-UV/VIS | Pass - Matches Ref. Standard |
| Chromatographic Purity | HPLC-UV/VIS | 99.33% $\pm$ 0.18%           |
| Quantity               | HPLC-UV/VIS | 10.69 mg                     |



Report By: Dustin Newman, Laboratory Director on 7/30/2026

Approved By: Tori Johnson, Operations Manager on 7/30/2026



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.